

WORKSHOP SESSION-1

WHAT IS SAR AND BENEFITS OF SAR

December 1, 2022


Dr Dipak Paudyal
Managing Director & Chief Scientist
APAC Geospatial
Fellow SSSI
Adjunct Associate Prof University of the Sunshine Coast

APAC Geospatial

Remote sensing of the real world





L3HARRIS™



APAC Geospatial

Exclusive Distributor of L3Harris Geospatial in Australia, NZ and the Southern Pacific


1. Remote Sensing/Image Analysis Software
2. Remote Sensing and Geospatial AI consulting services
3. Professional Services in applications of Remote Sensing
4. Training in Remote Sensing and Image Analysis




L3HARRIS

Channel
Partner

- **Introductions**
- **What is SAR?**
- **SAR benefits**
- **SAR in ENVI**
- **Applications**




Agricultural Monitoring in the
Mekong river delta
2014 – 2016 with Sentinel-1



IDL



ENVI




SARscape






Geospatial Services
Framework


What is Synthetic Aperture Radar?




What is Synthetic Aperture Radar?



Backscatter Results: Amplitude and Phase




Amplitude/Intensity (A^2)




Amplitude shows visual characteristics based upon scattering returns, which can give us information on surface roughness and dielectric properties.

Phase




The phase of one scene may not be visually useful, but phase allows for powerful techniques such as polarimetry and interferometry over multiple scenes.


Why SAR?



Optical: Visible to Infrared



SAR: Active Microwave



Optical vs. SAR





TerraSAR-X -Indianapolis
07/01/ 2007



QuickBird - Indianapolis
07/01/ 2007

Optical imagery during Camp Fire vs SAR imagery of extent during the fire




Synthetic Aperture Radar Applications



Landslides




Glaciers and
permafrost



Oil spills




Subsidence



Earthquakes



Shipping



DEM
generation



Biomass



Deforestation



Flooding




Volcano
monitoring




Activity
monitoring

Radar frequency and applications

Band	Frequency	Applications
VHF	300 kHz - 300 MHz	Foliage/ground penetration, biomass
P	300 MHz - 1 GHz	Biomass, soil moisture, ground penetration
L	1 - 2 GHz	Agriculture/forestry, soil moisture, ground penetration
S	3-4 GHz	Agriculture, biomass, ocean
C	4 - 8 GHz	Ocean, agriculture, general surface investigation
X	8 - 12 GHz	Ocean, agriculture, general surface investigation (high resolution)
Ku	14 - 18 GHz	Glacial/ice, snow cover
Ka	27 - 47 GHz	Glacial/ice, very high resolution imagery



Synthetic Aperture Radar satellite missions




Import

Multilooking


Coregistration

Filtering

Geocoding & Radiometric calibration




SARscape data processing in ENVI



SARscape data processing in ENVI




- Import
- Multilooking
- Coregistration
- Filtering
- Geocoding & Radiometric calibration



Import

- Subset by ROI
- Choose polarization
- Mosaic same track

Imported Sentinel-1




Import

- Subset by ROI
- Choose polarization
- Mosaic same track


Multilooking

- Choose grid size
- Removes speckle
- Convert to ground range

Imported Sentinel-1




Multilooked




Coregistration

- Aligns pixel footprints when working with overlapping images
- Critical step for multitemporal analyses





Coregistration

- Aligns pixel footprints when working with overlapping images
- Critical step for multitemporal analyses





Filtering





Geocoding & Radiometric Calibration

- Apply projection
- Calibrate backscatter intensity to allow for direct comparison to other scenes



Automate and batch process your data in the ENVI modeler with SARscape tasks



Full preprocessing and fusion of Sentinel-1 (all bands) and Sentinel-2

Skaneateles Lake, NY
Red- Red (Sentinel-2)
Green- Green (Sentinel-2)
Blue- VV (Sentinel-1)


Synthetic Aperture Radar Applications



Landslides




Glaciers and
permafrost



Oil spills




Subsidence



Earthquakes



Shipping



**DEM
generation**



Biomass



Deforestation



Flooding








Volcano
monitoring




**Activity
monitoring**


DEM Generation




Terrain and Infrastructure Monitoring




Displacement



Multi-Temporal Analyses of the Displacement




DEM




Identification of areas affected by catastrophic events

Tracking Deforestation




- 0: Unclassified
- 1: 18-AUG-2016 — 106-AUG-2016
- 2: 11-SEP-2016 — 18-AUG-2016
- 3: 05-OCT-2016 — 11-SEP-2016
- 4: 17-OCT-2016 — 05-OCT-2016
- 5: 29-OCT-2016 — 17-OCT-2016
- 6: 10-NOV-2016 — 29-OCT-2016
- 7: 22-NOV-2016 — 10-NOV-2016
- 8: 16-DEC-2016 — 22-NOV-2016
- 9: 28-DEC-2016 — 16-DEC-2016
- 10: 09-JAN-2017 — 28-DEC-2016
- 11: 02-FEB-2017 — 09-JAN-2017
- 12: 14-FEB-2017 — 02-FEB-2017
- 13: 26-FEB-2017 — 14-FEB-2017
- 14: 10-MAR-2017 — 26-FEB-2017
- 15: 22-MAR-2017 — 10-MAR-2017
- 16: 03-APR-2017 — 22-MAR-2017




Hurricane Florence, September 2018




Pre-storm SAR




Post-storm SAR



Flood map products



Dual-polarimetric RGB



Threshold and ratio calculation

Activity Monitoring: Change Detection




Coherent change detection over
Burning Man Festival
Black Rock Desert, NV, USA

R: Coherence

G: Average backscatter

B: Difference in backscatter
between pre (2018-06-08) and
during (2018-08-31)



Burning Man Festival, NV, USA

Thank you!

Dipak Paudyal, APAC Geospatial

Email:

dpaudyal@apacgeospatial.com

M: 045 000 4946